CORRES. CONTROL INCOMING LTR NO.

04272 RF94

DUE DATE

ACTION

BURLINGAME, A.H. BUSBY, W.S. CARNIVAL, G.J CORDOVA, R.C. DAVIS, J.G. FERRERA, D.W.

FRAY, R.E. GEIS, J.A. GLOVER, W.S GOLAN, P.M.

HANNI, B.J. HEALY, T.J.

HEDAHL, T.G HILBIG, J.G. HUTCHINS, N.M. JACKSON, D.T.

KELL, R.E

KUESTER, A.W. MARX, G.E.

McKENNA, F.G MORGAN, R.V PIZZUTO, V.M

POTTER, G.L.

SANDLIN, N.B.

STIGER, S.G. TOBIN, P.M.

VOORHEIS, G.M. WILSON, J.M.

PORTER G

SCHRADER DC

SATTERWHITE, D.G. SCHUBERT, A.L. SCHWARTZ, J.K. SETLOCK, G.H.

McDONALD, M.M.



LTR ENC

Department of Energy

ROCKY FLATS FIELD OFFICE P.O. BOX 928 GOLDEN, COLORADO 80402-0928

Nov 21 2 13 PH '94

NOV 1 8 1994

ROCKY FLATS PLANT CORRESPONDENCE CONTROL 94-DOE-11815

Mr. Ron Hellbusch Director of Public Works and Utilities City of Westminster 4800 West 92nd Avenue Westminster, Colorado 80030

Dear Mr. Hellbusch:

The U.S. Department of Energy (DOE) Rocky Flats Field Office (RFFO) is submitting to the City of Westminster the Draft Final Pond Water Management Interim Measures/ Interim Remedial Action (IM/IRA) Decision Document. This document is still in draft form, pending incorporation of comments from the Environmental Protection Agency (EPA) and the Colorado Department of Public Health and the Environment (CDPHE).

In the letter transmitted to RFFO from EPA regarding development of this IM/IRA, it was stated that "EPA expects the IM/IRA to be developed and released to the public for comments at the same time as the draft renewal [National Pollutant Discharge Elimination System (NPDES)] permit." At this time, EPA has not responded to RFFO's comments on the initial draft of the NPDES renewal permit, and it appears that there is no current schedule for completion of the draft permit. RFFO will keep the city informed as to the status of the draft NPDES permit, and other issues concerning this draft IM/IRA.

If you have any questions concerning this document please contact me at 966-3424, or Annette Marquez at 966-6247.

Sail S. Hell

Gail S. Hill, Acting Director Environmental Guidance Division

RCVD Wlo Enclosure

CORRES. CONTROL ADMN RECORD/080 PATS/T130G

Reviewed for Addressee Corres. Control RFP

Ref Ltr. #

DE, 46E00 4D -- 010 41

cc w/o Encl:

D. Brockman, AMESH, RFFO J. Roberson, AMER, RFFO

S. Olinger, DAMESH, RFFO M. Roy, OCC, RFFO

T. Anderson, SSD, RFFO C. Row, SSD, RFFO

C. Franklin, SSD, RFFO S. Slaten, ER, RFFO

B. Fraser, EPA R. Shankland, EPA S. Tarlton, CDPHE

J. Bruch, CDPHE DOE ORDER # 5400, 1 G. Porter, EG&G